



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/577,514	04/27/2006	Duwayne R. Anderson	7258-001	6793
20575 7590 11/28/2008 MARGER JOHNSON & MCCOLLOM, P.C. 210 SW MORRISON STREET, SUITE 400 PORTLAND, OR 97204				
EXAMINER				
GRAMLING, SEAN P				
ART UNIT		PAPER NUMBER		
2875				
MAIL DATE		DELIVERY MODE		
11/28/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/577,514

Applicant(s)

ANDERSON ET AL.

Examiner

SEAN P. GRAMLING

Art Unit

2875

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 October 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-12, 19, 20, 22-28, 30 and 32-46 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-12, 19, 20, 22-28, 30 and 32-46 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114.

Applicant's submission filed on October 3, 2008 has been entered. Claims 1-3 have been amended. Applicant indicates that claim 30 was also amended but there is no change to the claim. Claims 1-12, 19-20, 22-28, 30 and 32-46 are pending.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. **Claims 1-6** are rejected under 35 U.S.C. 102 (b) as being anticipated by *Murata* (US 4,935,665).

3. Regarding claim 1, Murata discloses a lens array 3 comprising multiple lenses 31 in a monolithic structure for collecting light from an array of multiple LED light sources 2; wherein each LED light source emits divergent light wherein for each LED light source there is a lens 31 having a compound shape that is distributable around the LED light

source and wherein each lens has a spherical or an aspheric shape relative to its respective LED light source (see Figure 1 and column 3, line 25 through column 4, line 55).

4. Regarding claim 2, each lens 31 includes a curved surface and a flat surface, the curved surface being equidistant from the center line of the LED light source and the flat surface being perpendicular to the center line (see Figure 1).

5. Regarding claim 3, each of the spherical or aspheric surfaces are offset from (not aligned with) a center line extending through each LED light source 2 (see Figure 1).

6. Regarding claim 4, each of the lenses 31 is symmetric about a center line extending through each LED light source 2 (see Figure 1).

7. Regarding claim 5, each of the lenses 31 includes sections that collect light from respective portions of each LED light source 2 (see Figure 1).

8. Regarding claim 6, each lens section is optimized for each portion of each LED light source from which each section collects light (see Figure 1).

Claim Rejections - 35 USC § 103

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. **Claims 1-12, 19-20, 22-28, 30 and 32-46** are rejected under 35 U.S.C. 103(a) as being unpatentable over *Latz*, and further in view of *Mize* (US 6,328,456).

11. Regarding claims 1-2, Latz discloses a lens array 13 comprising multiple lenses 15 in a monolithic structure for collecting light from an array of multiple LED light sources 11; wherein each LED light source emits divergent light wherein for each LED light source there is a lens 15 having a compound shape of at least one curved surface that is equidistant from the center that is distributable around the LED light source and arranged to collimate the light from the LED, and wherein each lens has a spherical or an aspheric shape relative to its respective LED light source (see Figures 2 and 3, and column 2, lines 36-58). Each lens 15 in Latz does also include a flat surface perpendicular to the center line. However, Mize specifically teaches a lens with a curved surface equidistant from the center line of an LED light source with a flat surface perpendicular to the center line (see Mize, Figures 5-7 and column 5, line 25 through column 6, line 32). It would have been obvious to one of ordinary skill in the art at the time the invention was made to form a flat surface on the lens 15 in Latz in the manner claimed and taught by Mize in order to collimate the light rays through the flat surface while dispersing light through the curved surface in a uniform manner that also increases intensity (see Mize, column 5, lines 36-41).
12. Regarding claim 3, each of the spherical or aspheric surfaces are offset from (not aligned with) a center line extending through each LED light source 11 (see Figure 3)
13. Regarding claim 4, each of the lenses is symmetric about a center line extending through each LED light source (see Figure 3).
14. Regarding claim 5, each of the lenses 15 includes sections that collect light from respective portions of each LED light source (see Figure 3).

15. Regarding claim 6, each lens section is optimized for each portion of each LED light source from which each section collects light (see Figure 3).

16. Regarding claims 7-9, Latz specifically discloses that the arrangement and shape of the lens array 13 may be changed to produce other visual effects (see column 3, line 27 through column 4, line 5), but does not disclose a lens of aspheric shape wherein the lens has a faceted surface that approximates the offset aspheric shape and wherein each of the faceted surfaces has a symmetrically circular shape. However, Mize specifically teaches this type of lens (see Mize, Figure 8, and column 4, lines 15-18 and column 6, lines 17-25). It would have been obvious to one of ordinary skill in the art at the time the invention was made to form the surface of the lenses 15 in Latz in an aspheric shape with facets having a symmetrically circular shape as taught by Mize in order to produce different visual effects and provide an increase number of surface configurations for the incident light so that uniform distribution of light is achieved (see Mize, column 6, lines 23-32).

17. Regarding claims 10-12, the lens 15 in Latz is not faceted with a square tile pattern that fully fills a surface of each lens and wherein the square tile pattern is formed from micro-pyramids. However, Latz specifically discloses that the arrangement and shape of the lens array 13 may be changed to produce other visual effects (see column 3, line 27 through column 4, line 5). It thus would have been obvious to one of ordinary skill in the art at the time the invention was made to form faceted surfaces on each lens in a square tile pattern formed from micro-pyramids since such lens configurations are well-known in the art (see Parkyn US 6,273,5960, Figure 17), and since it has been held

that changing the form or shape of prior art parts does not make the claimed invention patentable over that prior art (In re Dailey, 149 USPQ 47).

18. Regarding claims 30, 32-36 and 38, Latz discloses a method of manufacturing an LED light module comprising determining a configuration for a monolithically molded array 13 of lenses 15 so that there is a separate lens for each LED 11, wherein each lens has a compound shape including a curved surface that is distributed around an LED 11, and wherein the lens is disposed over an LED so that light from each side of the LED is projected into a respective curved surface and each curved surface is centered about a radius R extending from a center point that lies directly above an imaginary light point source on each of the LED's 11 sides (see Figures 2 and 3, and column 2, lines 36-58). Additionally, the lens array can be formed with a potting gel (see column 1, lines 20-25). Each lens 15 in Latz does not include a flat surface to separate the curved surfaces such that each curved surface is effectively a plano-convex lens. However, Mize specifically teaches a lens with curved surfaces separated by a flat surface such that each curved surface is effectively a plano-convex lens (see Mize, Figures 5-7 and column 5, lines 25-46). Moreover, each lens in Mize can be fabricated by machining faceted surfaces into the lens using a grinder (see Figure 8 and column 6, line 61 through column 7, line 4). It would have been obvious to one of ordinary skill in the art at the time the invention was made to form a flat surface on the upper surface of the lenses 15 and form faceted surfaces around the perimeter in Latz as taught by Mize in order to form collimated light rays and generate a uniform beam of high intensity (see Mize, column 5, lines 31-40).

19. Regarding claim 37, the lenses 15 in the lens array 13 in Latz are machined using circular lenses rather than micro-pyramids. However, Latz specifically discloses that the arrangement and shape of the lens array 13 may be changed to produce other visual effects (see column 3, line 27 through column 4, line 5). It thus would have been obvious to one of ordinary skill in the art at the time the invention was made to form micro-pyramids since such lens configurations are well-known in the art (see Parkyn US 6,273,5960, Figure 17), and since it has been held that changing the form or shape of prior art parts does not make the claimed invention patentable over that prior art (In re Dailey, 149 USPQ 47).

20. Regarding claims 39, the lens array 13 in Latz is formed of acrylic polymer rather than glass (see column 2, lines 52-54). However, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use glass rather than acrylic polymer in order to maximize the light transmission and intensity, and since it has been held that the selection of known material based on its suitability for the intended use for prior art parts does not make the claimed invention patentable over that prior art (In re Leshin, 125 USPQ 416).

21. Regarding claim 40, each lens 15 in the lens array in Latz is circularly symmetric (see Figures 2 and 3).

22. Regarding claim 41, each lens 15 in the lens array is formed of circular lenses rather than micro-pyramids. However, Latz specifically discloses that the arrangement and shape of the lens array 13 may be changed to produce other visual effects (see column 3, line 27 through column 4, line 5). It thus would have been obvious to one of

ordinary skill in the art at the time the invention was made to form micro-pyramids since such lens configurations are well-known in the art (see Parkyn US 6,273,5960, Figure 17), and since it has been held that changing the form or shape of prior art parts does not make the claimed invention patentable over that prior art (In re Dailey, 149 USPQ 47).

23. Regarding claims 42-45, Latz discloses a lens array comprising multiple lenses 15 in a monolithic array structure 13 for collecting light from a predetermined array of multiple LED light sources 11, each lens having a compound shape that includes curved surfaces; the lens being disposed over an LED 11 so that light from each side of the LED is projected into a respective curved surface; and each curved surface is centered about a radius R extending from a center point that lies directly above an imaginary light point source on each of the LED's 11 sides (see Figures 2 and 3, and column 2, lines 36-58). Each lens 15 in Latz is not aspherical and faceted and does not include a flat surface to separate the curved surfaces such that each curved surface is effectively a plano-convex lens. However, Mize specifically teaches a lens with curved surfaces separated by a flat surface such that each curved surface is effectively a plano-convex lens (see Mize, Figures 5-7 and column 5, lines 25-46). Moreover, each lens in Mize can be aspherical and faceted (see Figure 8 and column 4, lines 15-18). It would have been obvious to one of ordinary skill in the art at the time the invention was made to form a flat surface on the upper surface of the lenses 15 and form faceted surfaces around the perimeter in Latz as taught by Mize in order to form collimated light rays and generate a uniform beam of high intensity (see Mize, column 5, lines 31-40).

24. Regarding claim 46, the curved surface of the lens 15 in Latz is not a micro-pyramid. However, Latz specifically discloses that the arrangement and shape of the lens array 13 may be changed to produce other visual effects (see column 3, line 27 through column 4, line 5). It thus would have been obvious to one of ordinary skill in the art at the time the invention was made to form micro-pyramids since such lens configurations are well-known in the art (see Parkyn US 6,273,5960, Figure 17), and since it has been held that changing the form or shape of prior art parts does not make the claimed invention patentable over that prior art (*In re Dailey*, 149 USPQ 47).

25. Regarding claim 19 (which is dependent on claim 42), the LED module in Latz further comprises a predetermined LED array to form an LED module (see Figure 2).

26. Regarding claim 20, each lens 15 is symmetric about a center line extending through the LED 11 (see Figure 3).

27. Regarding claim 22, each section of each lens 15 includes geometry that is optimized for each portion of the LED 11 from which that section of each lens collects light (see Figure 3).

28. Regarding claims 23-25, each lens 15 in Latz is not aspherical and faceted wherein the facts have a symmetrically circular shape. However, each lens in Mize can be aspherical and circularly faceted (see Figure 8 and column 4, lines 15-18). It would have been obvious to one of ordinary skill in the art at the time the invention was made to form a flat surface on the upper surface of the lenses 15 and form faceted surfaces around the perimeter in Latz as taught by Mize in order to form collimated light rays and generate a uniform beam of high intensity (see Mize, column 5, lines 31-40).

Regarding claims 26-28, the lens 15 in Latz is not faceted with a square tile pattern that fully fills a surface of each lens and wherein the square tile pattern is formed from micro-pyramids. However, Latz specifically discloses that the arrangement and shape of the lens array 13 may be changed to produce other visual effects (see column 3, line 27 through column 4, line 5). It thus would have been obvious to one of ordinary skill in the art at the time the invention was made to form faceted surfaces on each lens in a square tile pattern formed from micro-pyramids since such lens configurations are well-known in the art (see Parkyn US 6,273,5960, Figure 17), and since it has been held that changing the form or shape of prior art parts does not make the claimed invention patentable over that prior art (In re Dailey, 149 USPQ 47).

Response to Arguments

29. Applicant's arguments filed October 3, 2008 with respect to the rejection of claims 1-6 as being anticipated by *Murata* have been fully considered but they are not persuasive. Examiner respectfully disagrees with Applicant's contention that the lenses 31 in *Murata* do not include a curved surface and a flat surface distributable over around the LED light source and arranged to collimate the light from the LED. Examiner directs Applicant to Figure 1 of *Murata* which clearly illustrates a curved surface (the bottom surface of the lens structure) and a flat surface (the top surface of the lens structure) distributable over the LED light source 2 and arranged to collimate the light from the LED (see parallel beams emerging from the lens structure). Accordingly, the rejection of claims 1-6 as being anticipated by *Murata* is maintained.

30. With respect to the rejection of claims 1 and 3-6 as being anticipated by *Latz*, the amendment to claim 1 overcomes an anticipatory rejection. However, a new rejection is made against those claims under 35 U.S.C. 103 (a) as being are unpatentable over *Latz* and further in view of *Mize* as set forth above. There was no amendment to independent claims 30 and 42; accordingly the rejection of these claims and the claims dependent thereon is maintained.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SEAN P. GRAMLING whose telephone number is (571)272-9082. The examiner can normally be reached on MONDAY-FRIDAY 7:30 AM-5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on (571) 272-2378. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Sean P Gramling
Examiner
Art Unit 2875

/SPG/

/Sandra L. O'Shea/
Supervisory Patent Examiner, Art Unit 2875